


FEELING



Creating emotion  
with glass



DESIGN

# FEELING

## Description

- **Love at first sight**

It's always the extraordinary that moves people. Like FEELING.

These beautiful glass tiles give a unique character to any interior space. In contrast to conventional ceramic tiles, FEELING creates a special effect of depth. Depending on the ambient lighting, new shades become visible and vitalize the room with atmospheric liveliness. FEELING is available in many different colours and styles, opening up a new dimension of wall design for you. Get inspired.

## Advantages

- **A wide variety:** FEELING is available in many formats, colours and decorative finishes and integrates very well with other materials.

- **Durability:** particularly resistant and easy to clean, FEELING is a high-quality product for daily use.

- **Bathroom**

"What attracts me to these rooms? Fascinating smooth surfaces and soft earth tones with velvety gleaming light reflections. This characterizes the special combination of discreet luxury and a pleasant feel-good atmosphere, which can only be achieved by FEELING in this unique form."  
*Marie L., Manager*



"Furnishings which follow a clear style ask for individual highlights. The creative diversity of FEELING can result in effects which can turn a bathroom area, planned around quite practical considerations, into the aesthetic center of the apartment."

*Martin K., Architect*

- **Kitchen**

"In our house, the kitchen is always the center of our life. This is why we wanted a lively room which can be a fresh experience every day. We have achieved that with FEELING. In accordance with the time of day, light incidence and reflection, new shades continue to appear."

*Melanie A., House owner*

"It is always a challenge to make a relatively small kitchen look much bigger, the discreet application of reflecting glass surfaces is an extremely attractive solution which can be realized in a most appealing way with the effect of FEELING."

*Gregor M., Interior designer*

## Range

- **Colours and surfaces**

Perfectly etched or not? You have the choice. The colour diversity opens new ways for designing interiors. Whether for accentuated highlight or a fascinating surface effect: FEELING enables you to accomplish unique effects.

## Dimensions

Highlight the space effect with FEELING. In addition, the variety of formats gives you every combination.

- **Thicknesses:**

BASICS/METALLICS: 6 mm.


- **Tolerances on size:**

- thickness: +/- 0.1 mm ;  
- width and length : +/- 0.3 mm.


# FEELING

## Basics


Almond Green



Night Blue




Choco Brown




Alpin White




Ivory




Dark Grey




Brown Mole




Red Flame



Deep Black




Opera Red




## Metallics


Metallic Stripes\*




Metallic Mat



Metallic Squares




Metallic Silver



Metallic Turquoise



## Installation



FEELING is tempered for the cook-top zone and not tempered for the other zones.

- In a kitchen, the product must be 10 cm away from the flame.
- No direct contact with very hot utensils.
- Constant exposure to a temperature in excess of 50°C may have some slight effect on the colour over a number of years.
- In any case, positioning should be undertaken within the rules of the art, and in compliance with the regulations.

### Preparing the wall

The surface must be clean, dry and sound. Check the standards in force.

### Cutting out

Cutting out must be undertaken on a clean work surface to reduce the risk of scratching.

It is vital to grind the cut edges in order to prevent future breakages.

### Gluing

FEELING can be fixed using D2 adhesives and cement glues of at least C25 class suitable for wall attachments.

The use of epoxy-resin-based glues is prohibited.

(\* Only available in 15 x 45 cm

# FEELING


- A minimum 2 mm joint between the panes.
- Observe the drying times recommended by the manufacturer before grouting.

## Cleaning

- Clean with a soft, clean cloth and a cleaning product designed for glass.
- For difficult parts, use multi-use, non-abrasive cleaning products.
- Never clean with high-pressure water jets.
- FEELING is ISO 10545-13 standard compliant.

## Storage

Ensure that the quantity ordered is sufficient for completion of the same job.  
It is not possible to guarantee exactly the same shade for additional deliveries.



### Basics/Metallics


Stripes

For further details, please ask for our comprehensive installation guide, [www.sggfeeling.com](http://www.sggfeeling.com)

All the brands quoted in this brochure are either registered or trademarked by Saint-Gobain.



For Glassolutions contact details by country, please refer to the last page.

[www.glassolutions.eu](http://www.glassolutions.eu)

Distributor